




REF. DWG1A
STANDPIPES
SEE EBL DWG FP-001



RISER SCHEMATIC (NOTE: SEE DWG. SET-A FOR RISER LOCATIONS)



ZONE CONTROL DETAIL



SYMBOL LEGEND

DESG	WET/DRY	SUPPLY CONN.	SERVIS LEVELS	LOCATION
A1	DRY	SERVICE LEVEL	2-7	STAIR - COL. 9
A2	DRY	SERVICE LEVEL	2-6	STAIR - COL. 11
A3	WET	SERVICE LEVEL	2-7	LOBBY - COL. 9
A4	WET	CLUB LEVEL	2,3	TICKET - COL. 10
A5	DRY	PRESS LEVEL	8	LOBBY - COL. 10

DESG	WET/DRY	SUPPLY CONN.	SERVIS LEVELS	LOCATION
A6	DRY	PRESS LEVEL	8	ELEV. P.H. - COL. 10
A7	DRY	UNDER CONCOURSE	7	JAN. CL. - COL. 3
B1	DRY	SERVICE LEVEL	2-7	STAIR - COL. 15
B2	DRY	SERVICE LEVEL	2-7	STAIR - COL. 20
B3	WET	SERVICE LEVEL	2-7	LOBBY - COL. 24

DESG	WET/DRY	SUPPLY CONN	SERIES LEVELS	LOCATION
C3	DRY	UPPER SUITE	6	2AN CL - COL 38
C4	DRY	MAIN CONDUIT	5	STAIR - COL 50
D3	DRY	UPPER SUITE	2-7	STAIR - COL 44
D3	WET	CLUB LEVEL	2-7	LOBBY - COL 45
D4	WET	CLUB LEVEL	2-9	MECH - COL 52

DESG	WET/DRY	SUPPLY CONN	SERIES LEVELS	LOCATION
S3A	WET	PRESS LEVEL	3	PRESS - COL 24
S4	WET	CLUB LEVEL	2,3	TICKET - COL 18
S5	DRY	PRESS LEVEL	6	CLUB - COL 20
S6	DRY	UPPER SUITE	6	2AN CL - COL 37
S7	DRY	PRESS LEVEL	8	ZEV P.H. - COL 20

DEGR.	WET/DRY	SUPPLY CONN.	SERIES LEVELS	LOCATION
B8	DRY	UPPER CONCOURSE	7	STAIR - CO.
C1	DRY	MAIN CONCOURSE	2-7	TRAIN - CO.
C2	DRY	MAIN CONCOURSE	2-7	STAIR - CO.
C3	WET	CLUB LEVEL	2-7	LOBBY - CO.
C4	WET	CLUB LEVEL	2-9	MECH. - CO.

NOTES:

- 1) N=MECH. S=STAIR. E=EXIT. N=NET
- 2) D=DRY. B=CLUB B=CLUB C=CLUB C=CLUB
- 3) S=STAIR. B=MAIN CONCOURSE. S=STAIR. A=CLUB
S=MECH. S=CLUB S=CLUB S=CLUB S=CLUB S=CLUB
- 4) CLUBS. MECH. S=CLUB

NOTES:

(1) N-NORTH, S-SOUTH, E-EAST, W-WEST

(2) A-ONE, B-TWO, C-THREE, D-FOUR, E-FIVE, F-SIX, G-SEVEN, H-EIGHT, I-NINE, J-TEN, K-ELEVEN, L-TWELVE, M-THIRTEEN, N-FOURTEEN, O-FIFTEEN, P-SIXTEEN, Q-SEVENTEEN, R-EIGHTEEN, S-NINETEEN, T-TWENTY, U-TWENTY-ONE, V-TWENTY-TWO, W-TWENTY-THREE, X-TWENTY-FOUR, Y-TWENTY-FIVE, Z-TWENTY-SIX

(3) 1-STREET, 2-MAIN HIGHWAY, 3-FREY, 4-CLUB, 5-LOVE, 6-DAT, 7-UPPER DAT, 8-UPPER TONTO, 9-LOWER TONTO, 10-LOWER DAT, 11-LOWER STREET

AS-BUILT
DATE: 8-17-98

NO		REVISIONS	REV	DATE	BY	GENERAL NOTES
1	1	1	1	1	1	1
2	2	2	2	2	2	2
3	3	3	3	3	3	3
4	4	4	4	4	4	4
5	5	5	5	5	5	5
6	6	6	6	6	6	6
7	7	7	7	7	7	7
8	8	8	8	8	8	8
9	9	9	9	9	9	9
10	10	10	10	10	10	10
11	11	11	11	11	11	11
12	12	12	12	12	12	12
13	13	13	13	13	13	13
14	14	14	14	14	14	14
15	15	15	15	15	15	15
16	16	16	16	16	16	16
17	17	17	17	17	17	17
18	18	18	18	18	18	18
19	19	19	19	19	19	19
20	20	20	20	20	20	20
21	21	21	21	21	21	21
22	22	22	22	22	22	22
23	23	23	23	23	23	23
24	24	24	24	24	24	24
25	25	25	25	25	25	25
26	26	26	26	26	26	26
27	27	27	27	27	27	27
28	28	28	28	28	28	28
29	29	29	29	29	29	29
30	30	30	30	30	30	30
31	31	31	31	31	31	31
32	32	32	32	32	32	32
33	33	33	33	33	33	33
34	34	34	34	34	34	34
35	35	35	35	35	35	35
36	36	36	36	36	36	36
37	37	37	37	37	37	37
38	38	38	38	38	38	38
39	39	39	39	39	39	39
40	40	40	40	40	40	40
41	41	41	41	41	41	41
42	42	42	42	42	42	42
43	43	43	43	43	43	43
44	44	44	44	44	44	44
45	45	45	45	45	45	45
46	46	46	46	46	46	46
47	47	47	47	47	47	47
48	48	48	48	48	48	48
49	49	49	49	49	49	49
50	50	50	50	50	50	50
51	51	51	51	51	51	51
52	52	52	52	52	52	52
53	53	53	53	53	53	53
54	54	54	54	54	54	54
55	55	55	55	55	55	55
56	56	56	56	56	56	56
57	57	57	57	57	57	57
58	58	58	58	58	58	58
59	59	59	59	59	59	59
60	60	60	60	60	60	60
61	61	61	61	61	61	61
62	62	62	62	62	62	62
63	63	63	63	63	63	63
64	64	64	64	64	64	64
65	65	65	65	65	65	65

[illegible]

CAPITAL SPRINKLER CONT., INC.
8550 DOBBIN ROAD, COLUMBIA, MARYLAND 21045
WASHINGTON 982-1023 BALTIMORE 730-471

BALTIMORE, MARYLAND N.F.L. FOOTBALL STADIUM
1229 S. BALTIMORE STREET
BALD. MD

CONTRACT IDENTIFYING: TUBES, BAYCON TUBES, EGGEN, J.V.

DATE -NTS-	ISSUE BY -J.B.	QUANTITY 852
SCALE	ORDERED BY	ISSUED BY SL - C

PLC'D - 6/1/84



DATE: AS-BUILT
8-17-98




CAPITOL SPRINKLER CONTRACTING, INC.




CAPITOL SPRINKLER CONT., INC.
6550 DOBBIN ROAD, COLUMBIA, MARYLAND 21045
WASHINGTON 982-1023 BALTIMORE 730-4711


CONTRACT WITH: WHITING / TURNER / EARTH MALOW / ELLERRE		
DATE: 10-3-97	DWG BY: T. TAYLOR	CONTRACT NO: 0004
PROJECT: [illegible]	CONTRACT NO: [illegible]	DWG NO: [illegible]

REF. DWG1D
STANDPIPES
SEE EBL DWG FP-001

[illegible]



SCOREBOARDS



REF. DWG 2
 SERVICE LEVEL
 SEE EBL DWG FP-101

RECORD OF THIS DOCUMENT			
TRADE	COMPANY	DATE	SIGNATURE
SPRINKLER	CAPITOL SPRINKLER CONTRACTING INC.		
PLUMBER	POOLE & KENT		
SHEET METAL	POOLE & KENT		
ELECTRICIAN	EXPRESS		
IRON	ALLA		
ENGINEER	ROSS MURPHY & ASSOCIATES		
CON. CORP.	W. T. & W. J. EDDY		
Mechanical	POOLE & KENT		

HYDRAULIC DESIGN DATA

COL. 1	COL. 2	COL. 3	COL. 4	COL. 5	COL. 6	COL. 7	COL. 8	COL. 9	COL. 10	COL. 11	COL. 12	COL. 13	COL. 14	COL. 15	COL. 16	COL. 17	COL. 18	COL. 19	COL. 20	COL. 21	COL. 22	COL. 23	COL. 24	COL. 25	COL. 26	COL. 27	COL. 28	COL. 29	COL. 30	COL. 31	COL. 32	COL. 33	COL. 34	COL. 35	COL. 36	COL. 37	COL. 38	COL. 39	COL. 40	COL. 41	COL. 42	COL. 43	COL. 44	COL. 45	COL. 46	COL. 47	COL. 48	COL. 49	COL. 50	COL. 51	COL. 52	COL. 53	COL. 54	COL. 55	COL. 56	COL. 57	COL. 58	COL. 59	COL. 60	COL. 61	COL. 62	COL. 63	COL. 64	COL. 65	COL. 66	COL. 67	COL. 68	COL. 69	COL. 70	COL. 71	COL. 72	COL. 73	COL. 74	COL. 75	COL. 76	COL. 77	COL. 78	COL. 79	COL. 80	COL. 81	COL. 82	COL. 83	COL. 84	COL. 85	COL. 86	COL. 87	COL. 88	COL. 89	COL. 90	COL. 91	COL. 92	COL. 93	COL. 94	COL. 95	COL. 96	COL. 97	COL. 98	COL. 99	COL. 100
--------	--------	--------	--------	--------	--------	--------	--------	--------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	---------	----------

CONTRACTOR: CAPITOL SPRINKLER CONTRACTING INC.
 6000 DODD ROAD COLUMBIA, MD 21043

DESIGNER: ROSS MURPHY & ASSOCIATES
 1000 E. JEFFERSON AVE. BALTIMORE, MD 21201

DATE: 06-11-97

PROJECT: BALTIMORE RAVENS STADIUM AT CAMDEN YARDS, BALTIMORE, MD

SECTION: SERVICE LEVEL, QUAD A, SECTION 2

SCALE: 1/4" = 1'-0"

DATE: 06-11-97

PROJECT: BALTIMORE RAVENS STADIUM AT CAMDEN YARDS, BALTIMORE, MD

SECTION: SERVICE LEVEL, QUAD A, SECTION 2

SCALE: 1/4" = 1'-0"

DATE: 06-11-97

KEYPLAN

AS-BUILT

DATE: 06-11-97

PROJECT: BALTIMORE RAVENS STADIUM AT CAMDEN YARDS, BALTIMORE, MD

SECTION: SERVICE LEVEL, QUAD A, SECTION 2

SCALE: 1/4" = 1'-0"

DATE: 06-11-97

BALTIMORE RAVENS

STADIUM AT CAMDEN YARDS, BALTIMORE, MD

SERVICE LEVEL, QUAD A, SECTION 2

CAPITOL SPRINKLER CONTRACTING INC.

6000 DODD ROAD COLUMBIA, MD 21043

PHONE: (410) 726-1200

PROJECT: BALTIMORE RAVENS STADIUM AT CAMDEN YARDS, BALTIMORE, MD

SECTION: SERVICE LEVEL, QUAD A, SECTION 2

SCALE: 1/4" = 1'-0"

DATE: 06-11-97

NORTH

DESIGNER: D. FLORES / T. PARRHAM



SCALE: 1/4" = 1'-0"

CHECK BY: 0862

FILE NUMBER: SL-QA2

APPROVAL: 06-11-97

DATE: 06-11-97



HYDRAULIC DESIGN DATA					
	Calculation # 1	Calculation # 2	Calculation # 3	Calculation # 4	Calculation # 5
Design Class					
Design Conditions					
Design Flow					
Design Time					
Design Area					
Design Slope					
Design Velocity					
Design Head Loss					
Design Pipe Size					
Design Material					
Design Manhole					
Design Structure					
Design Notes					

[illegible][illegible]

BALTIMORE RAVENS
STADIUM AT CAMDEN YARDS, BALTIMORE, MD
TWICE LEVEL, QUAD A, SECTION 4

**CAPITOL SPRINKLER
CONTRACTING INC.**
4640 DORRUM ROAD, COTTLEMAN, MN 55045

NORTH 


DESIGNER D. FLOER/T. PARH
SCALE $1/8" = 1'$
CHECK BY
FILE NUMBER 08
APPROVAL **SL-QA**
DATE 06-11


REF. DWG 3
SERVICE LEVEL
SEE EBL DWG FP-101

DATE: AS-BUILT
8-17-98



SL-QA4

[illegible]



RECORD OF TRADE CONTRIBUTION			
TRADE	CONTRIBUTOR	DATE	REMARKS
SPRINKLER	CAPITOL SPRINKLER		
PLUMBER	POOLE & HUNT		
SHEET METAL	POOLE & HUNT		
ELECTRICIAN	POOLE & HUNT		
MECH.	H.B. HARRIS		
ENGINEER	ROSS WATSON & FENNER		
CON. CORP.	H. F. & J. H. HARRIS		
MECHANICAL	POOLE & HUNT		

HYDRAULIC DESIGN DATA	
DESIGN	REMARKS
DESIGN FLOW	1.0 GPM
DESIGN PRESSURE	100 PSI
DESIGN TEMPERATURE	70°F
DESIGN WIND SPEED	100 MPH
DESIGN SNOW LOAD	30 PSF
DESIGN ICE LOAD	10 PSF
DESIGN SEISMIC	0.15g
DESIGN WIND	100 MPH
DESIGN SNOW	30 PSF
DESIGN ICE	10 PSF
DESIGN SEISMIC	0.15g

CONTRACTOR: CAPITOL SPRINKLER CONTRACTING, INC.	
REVISION	DESCRIPTION
1	ISSUED FOR PERMIT
2	ISSUED FOR PERMIT
3	ISSUED FOR PERMIT
4	ISSUED FOR PERMIT
5	ISSUED FOR PERMIT
6	ISSUED FOR PERMIT
7	ISSUED FOR PERMIT
8	ISSUED FOR PERMIT
9	ISSUED FOR PERMIT
10	ISSUED FOR PERMIT
11	ISSUED FOR PERMIT
12	ISSUED FOR PERMIT
13	ISSUED FOR PERMIT
14	ISSUED FOR PERMIT
15	ISSUED FOR PERMIT
16	ISSUED FOR PERMIT
17	ISSUED FOR PERMIT
18	ISSUED FOR PERMIT
19	ISSUED FOR PERMIT
20	ISSUED FOR PERMIT

SPRINKLER SCHEDULE & LEGEND	
SYMBOL	DESCRIPTION
SPRINKLER	SPRINKLER
VALVE	VALVE
PIPING	PIPING
WALL	WALL
DOOR	DOOR
WINDOW	WINDOW
STAIR	STAIR
ELEVATOR	ELEVATOR
MECHANICAL	MECHANICAL
ELECTRICAL	ELECTRICAL
PLUMBING	PLUMBING
MECHANICAL	MECHANICAL
ELECTRICAL	ELECTRICAL
PLUMBING	PLUMBING




BALTIMORE RAVENS
STADIUM AT CAMDEN YARDS, BALTIMORE, MD
SERVICE LEVEL, QUAD A, SECTION 7
CAPITOL SPRINKLER CONTRACTING, INC.
6600 DOWNS ROAD COLUMBIA, MD 21046
PHONE: (410) 726-1111 FAX: (410) 726-1112

REF. DWG 6
SERVICE LEVEL
SEE EBL DWG FP-101

AS-BUILT
DATE: 8-27-96



NORTH
DESIGNED BY: D. E. KIRBY, P.E.
CHECKED BY: J. L. KIRBY, P.E.
DATE: 06-13-97



REF. DWG 7
 SERVICE LEVEL
 SEE EBL DWG FP-101

AS-BUILT
 DATE: 8-12-98



RECORD OF REVISIONS			
NO.	DESCRIPTION	DATE	BY
1	ISSUED FOR PERMIT	08-12-97	SL
2	AS-BUILT	08-12-98	SL

CONTRACTOR: CAPITAL SPRINKLER CONTRACTING, INC.
 8500 DOWEN ROAD, COLUMBIA, MD 21046

DESIGNER: D. FLORES/T. PARHAM
 SCALE: 1/4" = 1'-0"

DATE: 08-12-97

PROJECT: BALTIMORE RAVENS STADIUM AT CAMDEN YARDS, BALTIMORE, MD


SECTION: SERVICE LEVEL, QUAD A, SECT 10

CONTRACTING INC.

10000 W. BROAD COLUMBIA, MD 21046
 PHONE: (410) 492-1000 FAX: (410) 492-1010

SPRINKLER SCHEDULE & LEGEND	
SPRINKLER	1/2" K-1.92
WATER MAIN	12" K-1.92
ELECTRICIAN	12" K-1.92
MECHANICAL	12" K-1.92
PLUMBING	12" K-1.92
HEATING	12" K-1.92
Cooling	12" K-1.92
Gas	12" K-1.92
Other	12" K-1.92

HYDRAULIC DESIGN DATA	
DESIGN FLOW	100 GPM
DESIGN PRESSURE	100 PSI
DESIGN VELOCITY	10 FT/SEC
DESIGN TEMPERATURE	100°F
DESIGN WIND SPEED	100 MPH
DESIGN SNOW LOAD	10 PSF
DESIGN ICE LOAD	10 PSF
DESIGN SEISMIC	10 MSF



REF. DWG 9
 SERVICE LEVEL
 SEE EBL DWG FP-101

AS-BUILT
 DATE: 8-17-98




RECORD OF FINAL CORRECTIONS			
DATE	REVISION	BY	SIGNATURE
	SPRINKLER	CAPITOL SPRINKLER	
	CHANGES	FIELD & VIEW	
	SHEET METAL	FIELD & VIEW	
	ELECTRICIAN	ENTERPRISE	
	MECHANICAL	ENTERPRISE	
	OWNER	BAIRD HARRIS & FINELLERSON	

BALTIMORE RAVENS
 STADIUM AT CAMDEN YARDS, BALTIMORE, MD
 SERVICE LEVEL, QUAD A, SECTION 10

CAPITOL SPRINKLER
 CONTRACTING INC.
 8600 DOMINION ROAD COLUMBIA, MD 21046
 PHONE: (410) 271-1000

DESIGNER: D. FLORES, P.E. PARADIGM
 SCALE: 3/4" = 1'-0"
 CHECK BY: []
 DATE: 06-12-97

DATE: 06-12-97



REF. DWG 10
 SERVICE LEVEL QUAD A
 SEE EBL DWG FP-101

ITEM	DESCRIPTION	DATE	SIGNATURE
SPRINKLER	CAPITOL SPRINKLER		
PLUMBER	PIPE & WIRE		
ELECTRICIAN	ELECTRICIAN		
MECHANICAL	MECHANICAL		
ENGINEER	PIPE SUPPLY & INSTALLATION		



BALTIMORE RAVENS
 STADIUM AT CAMDEN YARDS, BALTIMORE, MD
 SERVICE LEVEL, QUAD A, SECTION 11
CAPITOL SPRINKLER
 CONTRACTING INC.
 6500 DODDERS ROAD COLUMBIA, MD 21046
 PHONE: (410) 726-1234

DESIGNER D. FLORES / T. PARRHAM
SCALE 1/4" = 1'-0"
FILE NUMBER 0852
DATE 08-12-97

CONTRACTOR CAPITOL SPRINKLER CONTRACTING, INC.
 6500 DODDERS ROAD COLUMBIA, MD 21046
 PHONE: (410) 726-1234


SPRINKLER SCHEDULE A LEGEND

SYMBOL	DESCRIPTION
(Symbol)	1/2" NPT, 150 PSI, 100 FT. L.S.P. (HANG) BR
(Symbol)	1/2" NPT, 150 PSI, 100 FT. L.S.P. (HANG) BR
(Symbol)	1/2" NPT, 150 PSI, 100 FT. L.S.P. (HANG) BR

REVISIONS

NO.	DATE	DESCRIPTION
1	08-12-97	ISSUED FOR CONSTRUCTION

IMPORTANT!
 TO PREVENT FREEZING OF WATER IN WET, WET-PIPE, WET-DELUGE, AND WET-PIPE SYSTEMS, SPRINKLER PIPES ARE INSTALLED INSULATED IN WET-PIPE SYSTEMS.



REF. DWG 11
 SERVICE LEVEL QUAD A
 SEE EBL DWG FP-101

AS-BUILT
 DATE: 8-77-98



RECORD OF TASK COORDINATION			
TASK	COMPANY	DATE	SIGNATURE
SPRINKLER	CAPITOL SPRINKLER		
PLUMBER	POWELL & KIRK		
ELECTRICIAN	ENTERPRISE		
MECHANICAL	ENTERPRISE		
OWNER	RAVENS		
OWNER	HOOD WARRIOR & PHILADELPHIA		

BALTIMORE RAVENS
 STADIUM AT CAMDEN YARDS, BALTIMORE, MD
 SERVICE LEVEL, QUAD A, SECTION 12

CAPITOL SPRINKLER
 CONTRACTING INC.
 8500 DOBBSY ROAD COLUMBIA, MD 21046
 PHONE: (410) 278-1000

DESIGNER D. FLOER, P.E.
 SCALE: 1/4" = 1'-0"

DATE: 08-12-97

SPRINKLER SCHEDULE & LEGEND

SYMBOL	DESCRIPTION
(Symbol)	1/2" ALUMINUM BRASS - BRIDGE
(Symbol)	1/2" ALUMINUM BRASS - BRIDGE
(Symbol)	1/2" ALUMINUM BRASS - BRIDGE

TO PREVENT FREEZING OF WATER IN ANT. AND SPRINKLER PIPING, SPRINKLER PIPING ARE INSTALLED UNLESS IN ANT. FREEZE SYSTEM.

CONTRACTOR: CAPITOL SPRINKLER CONTRACTING, INC.
 8500 DOBBSY ROAD, COLUMBIA, MD 21046
 RENDON

ISSUED FOR RECORD

DATE: 08-12-97

